

Typical physical characteristics of a few of our most popular **naphthenic** oils:

Property	ASTM Methods	Renoil 40-S	Renoil 60B	Renoil 100-S	Renoil 200-S	Renoil 775-S	Renoil 1100	Renoil 2470	Renoil 3710
Viscosity, SUS @ 100° / 210°F	D2161	42 / 31	60 / 36	104 / 38	202 / 43.2	722 / 62	1100 / 61	--- / 247	23040 / 198
Viscosity, cSt @ 40°C/100°C	D445	31	4.7 / 1.55	9.5 / 2.4	38.6 / 5.04	143 / 10.4	198 / 10.2	--- / 51	3800 / 40
API Gravity, 60°F	D287	27.7	29.3	34	22.7	21.14	18.2	16.2	15
Weight lbs/gal, 60°F	D1250	7.4	7.328	7.58	7.64	7.72	7.87	8	8
Color	D1500	<0.5	1.5	<1.0	<1.0	<1.5	1	8	1.5
Flash Point, °F/°C	D92	255 / 124	290 / 143	327 / 164	360 / 183	419 / 215	390 / 19	530 / 275	476 / 245
Pour Point, °F/°C	D97	-90 / -68	-40 / -40	-45 / -43	-35 / 37	0 / -18	725 / -4	20 / -7	46 / 8
Aniline Point, °F/°C	D611	149 / 65	---	164 / 72	174 / 79	185 / 85	152 / 67		171 / 77